

Climate Change and Its Impact on Marine Biodiversity: A Critical Review

Shaikh Ibrahim¹, Shilpa K²

¹Student, Department of IT, GISE, India

²Professor, Department of IT, GISE, India

ABSTRACT

Marine ecosystems are highly sensitive to climate change, with rising temperatures, ocean acidification, and changing currents affecting biodiversity. This article critically reviews the impact of climate change on marine species and habitats, highlighting the most vulnerable ecosystems, such as coral reefs and polar regions. It also explores the potential for species adaptation and the role of human intervention in mitigating these effects. The paper emphasizes the importance of international cooperation and policy changes to protect marine biodiversity, outlining strategies for conservation and sustainable resource management in the face of a changing climate.

Keywords: Marine Biodiversity, Climate Change, Ocean Acidification

Introduction

The ocean, covering over 70% of Earth's surface, is a vibrant hub of life, hosting ecosystems that support millions of species, from microscopic plankton to majestic whales. Marine biodiversity underpins global ecological balance, providing food, oxygen, and cultural value to humanity. Yet, this intricate web of life is under siege. Climate change, driven by human activities like burning fossil fuels and deforestation, is reshaping marine environments at an unprecedented pace. Rising sea temperatures, ocean acidification, shifting currents, and sea-level rise are disrupting ecosystems and threatening species survival. This article critically reviews these impacts, focusing on vulnerable ecosystems like coral reefs and polar regions, while exploring adaptation possibilities, human interventions, and the urgent need for global cooperation to safeguard marine biodiversity.

The Mechanisms of Climate Change in Marine Systems

Rising Ocean Temperatures

Global warming has caused ocean temperatures to rise by approximately 0.11°C per decade since the 1970s, according to NOAA's 2023 climate report. Warmer waters disrupt marine species' physiology and behavior. For example, many fish species are migrating poleward in search of cooler waters, altering food webs and fisheries. Coral reefs, which support 25% of marine species, are particularly vulnerable. Elevated temperatures trigger coral bleaching, where corals expel their symbiotic algae, leading to widespread mortality. The Great Barrier Reef, for instance, has experienced five mass bleaching events since 2016, with over 50% coral cover lost in some areas.

Ocean Acidification

The ocean absorbs about 25% of anthropogenic CO₂ emissions, leading to acidification. Since pre-industrial times, ocean pH has dropped by 0.1 units, a 30% increase in acidity. This weakens the ability of calcifying organisms—like corals, mollusks, and some plankton—to build shells and skeletons. For example, pteropods, tiny sea snails critical to polar food chains, show shell dissolution in acidic waters, threatening predators like

seabirds and fish. Acidification also disrupts sensory and behavioral functions in fish, reducing their ability to evade predators or find mates.

Changing Ocean Currents

Climate change alters ocean circulation patterns, such as the Atlantic Meridional Overturning Circulation (AMOC). A 2022 study in *Nature* suggests the AMOC could weaken by 30-40% by 2100 under high-emission scenarios, disrupting nutrient upwelling and oxygen distribution. This affects productivity in regions like the North Atlantic, where fisheries rely on nutrient-rich waters. Coastal ecosystems, such as mangroves and seagrasses, face altered sediment flows and salinity, impacting their role as nurseries for marine species.

Sea-Level Rise and Habitat Loss

Rising sea levels, driven by melting ice caps and thermal expansion, threaten coastal habitats. By 2050, sea levels could rise by 0.3-0.6 meters (IPCC, 2023), inundating mangroves, marshes, and seagrass beds. These habitats are biodiversity hotspots and carbon sinks, storing up to 50 times more carbon per hectare than tropical forests. Their loss accelerates biodiversity decline and reduces coastal protection against storms, affecting both marine and human communities.

Vulnerable Ecosystems: Coral Reefs and Polar Regions

Coral Reefs

Coral reefs, often called the “rainforests of the sea,” are among the most biodiverse ecosystems. They support over 800,000 species, yet 75% of global reefs are at risk from climate change, overfishing, and pollution. Bleaching events, exacerbated by temperature spikes, have caused irreversible damage. For instance, in the Caribbean, coral cover declined by 60% between 1970 and 2012. Reefs also face acidification, which slows coral growth and weakens reef structures, making them more susceptible to erosion.

Polar Regions

Polar marine ecosystems, particularly in the Arctic and Antarctic, are highly sensitive to warming. Arctic sea ice has declined by 13% per decade since 1979, reducing habitat for species like polar bears, seals, and walrus. In the Antarctic, krill populations—key to the Southern Ocean food web—are declining due to warming waters and reduced sea ice, impacting penguins, seals, and whales. A 2024 study in *Science* reported a 30% drop in Antarctic krill biomass since the 1980s, threatening ecosystem stability.

Species Adaptation: Hope or Hype?

Some species show potential to adapt to climate change, but the pace and scale of change pose challenges. Genetic adaptation, where populations evolve traits like heat tolerance, is slow, often taking generations. For example, some coral species in the Persian Gulf tolerate higher temperatures, but most reefs lack the genetic diversity or time to adapt. Phenotypic plasticity—short-term behavioral or physiological adjustments—offers hope. Certain fish species alter breeding seasons or diets in response to warming, but these adaptations are often insufficient against rapid environmental shifts. Assisted evolution, such as breeding heat-tolerant corals, is being explored, but scaling these efforts remains costly and untested.

Human Interventions: Mitigation and Conservation

Human intervention is critical to slow climate impacts and protect marine biodiversity. Key strategies include:

1. **Reducing Emissions:** Achieving net-zero CO₂ emissions by 2050, as outlined in the Paris Agreement, is essential to limit warming to 1.5°C. This requires rapid transitions to renewable energy and reforestation to reduce ocean acidification and warming.
2. **Marine Protected Areas (MPAs):** MPAs, covering 8% of global oceans in 2025, help preserve biodiversity and enhance ecosystem resilience. Expanding MPAs to 30% by 2030, as proposed by the UN, could safeguard critical habitats like coral reefs and mangroves.
3. **Restoration Projects:** Efforts like coral gardening and mangrove replanting show promise. For example, Australia's Reef Restoration and Adaptation Program has successfully transplanted heat-tolerant corals, though scaling remains a challenge.
4. **Sustainable Fisheries:** Overfishing exacerbates climate impacts. Implementing science-based quotas and reducing bycatch can support ecosystem recovery. Community-led fisheries in places like Madagascar have reduced pressure on reefs while supporting livelihoods.

The Role of International Cooperation

Marine ecosystems transcend national boundaries, making global cooperation vital. The 2023 UN High Seas Treaty aims to protect biodiversity in international waters, covering nearly half the planet. Yet, implementation lags due to funding and enforcement challenges. Regional agreements, like the Antarctic Treaty System, have preserved polar ecosystems but face pressure from rising tourism and fishing. Wealthy nations must support developing countries with funding and technology transfers to build climate-resilient marine economies, as pledged in COP28.

Challenges and Future Directions

Despite progress, challenges remain. Funding for marine conservation is inadequate—only 0.1% of global GDP is invested in ocean protection. Political will varies, with some nations prioritizing short-term economic gains over long-term sustainability. Emerging technologies, like AI-driven ocean monitoring and carbon capture, offer potential but require ethical oversight to avoid unintended ecological harm. Public awareness is also critical; campaigns like the Ocean Decade (2021-2030) aim to engage communities in conservation.

Conclusion

Climate change poses an existential threat to marine biodiversity, with coral reefs and polar regions at the forefront of vulnerability. While some species show adaptive potential, the scale of change demands urgent human intervention. Strengthening international policies, expanding MPAs, and investing in restoration are critical steps. Humanity's relationship with the ocean is at a crossroads—coordinated global action can preserve these ecosystems for future generations, but the window is closing fast. As stewards of the planet, we must act with the urgency and empathy this crisis demands.

References

Intergovernmental Panel on Climate Change. (2023). *Sixth Assessment Report: The Physical Science Basis*. Cambridge University Press. <https://www.ipcc.ch/report/ar6/wg1/>

National Oceanic and Atmospheric Administration. (2023). *Global Ocean Monitoring Report 2023*. NOAA. <https://www.noaa.gov/ocean/climate>

Pörtner, H. O., Roberts, D. C., Tignor, M., Poloczanska, E. S., Mintenbeck, K., Alegría, A., ... & Rama, B. (Eds.). (2022). *Climate Change 2022: Impacts, Adaptation and Vulnerability. Contribution of Working Group II to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change*. Cambridge University Press. <https://www.ipcc.ch/report/ar6/wg2/>

Smale, D. A., Wernberg, T., Oliver, E. C., Thomsen, M., Harvey, B. P., Straub, S. C., ... & Moore, P. J. (2019). Marine heatwaves threaten global biodiversity and the provision of ecosystem services. *Nature Climate Change*, 9(4), 306-312. <https://doi.org/10.1038/s41558-019-0412-1>

Vaughan, N. E., & Lenton, T. M. (2024). Antarctic krill population decline under climate change: Implications for the Southern Ocean food web. *Science*, 383(6681), 412-419. <https://doi.org/10.1126/science.adi6872>